

A260-30-11 A line Contactor

Maximum UL/CSA horsepower ratings

- Includes NEMA sizes 00 – 3
- CE mark
- Compact space saving design
- Standard auxiliary contact configurations:
A9 – A40 1 N.O. or 1 N.C.
A50 – A110 1 N.O. and 1 N.C.
Can be supplied without auxiliaries
- Additional auxiliary contact blocks are available
- D.C. ratings & D.C. control operation available
- Fast, snap-on DIN rail mounting
- Double break contact design
- Snap-on front mounted accessories

AC Control supply Model No.	Standard Part Number	General use rating 600 V AC	AC-3 Rated operational power	3-phase motor rating	NEMA size	Weight in kg
Model		Amp	KW@480	HP@480V	NEMA size	
A9	A9-30-10	9	4	5	0	0.4
A12	A12-30-10	12	5.5	7.5	0	0.4
A16	A16-30-10	16	7.5	10	0	0.4
A26	A26-30-10	26	11	20	1	0.6
A30	A30-30-10	30	15	25	1P	0.8
A40	A40-30-10	40	18.6	30	1P	0.8
A50	A50-30-11	50	22	40	2	1.2
A63	A63-30-11	63	30	60	0	1.2
A75	A75-30-11	75	37	60	0	1.2
A95	A95-30-11	95	45	60	0	2.2
A110	A110-30-11	110	55	75	0	2.2
A145	A145-30-11	145	75	95	0	2.2
A185	A185-30-11	185	90	125	0	3.5
A210	A210-30-11	210	110	150	0	6.1
A260	A260-30-11	260	140	200	0	6.5
A300	A300-30-11	300	160	250	0	6.6

A9	A9-30-10, Nofuel, direct replacement contactors for ABB A9-30-10, A-Line series, 3 pole, 3 phase, 9Amp, 600 Volt, 2HP @ 240V, 5HP @ 480V, 7.5HP @ 600V, installed with 120VAC coil and 1NO aux contact, A C contactor
----	---

A12	A12-30-10, Nofuel, direct replacement contactors for ABB A12-30-10, A-Line series, 3 pole, 3 phase, 11Amp, 600 Volt, 3HP @ 240V, 7.5HP @ 480V, 10HP @ 600V, installed with 120VAC coil and 1NO aux contact, AC contactor
A16	A16-30-10, Nofuel, direct replacement contactors for ABB A16-30-10, A-Line series, 3 pole, 3 phase, 17Amp, 600 Volt, 5HP @ 240V, 10HP @ 480V, 15HP @ 600V, installed with 120VAC coil and 1NO aux contact, AC contactor
A26	A26-30-10, Nofuel, direct replacement contactors for ABB A26-30-10, A-Line series, 3 pole, 3 phase, 28Amp, 600 Volt, 10HP @ 240V, 20HP @ 480V, 25HP @ 600V, installed with 120VAC coil and 1NO aux contact, AC contactor
A30	A30-30-10, Nofuel, direct replacement contactors for ABB A30-30-10, A-Line series, 3 pole, 3 phase, 34Amp, 600 Volt, 10HP @ 240V, 25HP @ 480V, 30HP @ 600V, installed with 120VAC coil and 1NO aux contact, AC contactor
A40	A40-30-10, Nofuel, contactors, direct replacement contactors for ABB A40-30-10, A-Line series, 3 pole, 3 phase, 42Amp, 600

	Volt, 15HP @ 240V, 30HP @ 480V, 40HP @ 600V, installed with 120VAC coil and 1NO aux contact, AC contactor
A50	A50-30-11, Nofuel, direct replacement contactors for ABB A50-30-11, A-Line series, 3 pole, 3 phase, 54Amp, 600 Volt, 20HP @ 240V, 40HP @ 480V, 50HP @ 600V, installed with 120VAC coil and 1NO/1NC aux contact, AC contactor
A63	A63-30-11, Nofuel, direct replacement contactors for ABB A63-30-11, A-Line series, 3 pole, 3 phase, 65Amp, 600 Volt, 25HP @ 240V, 50HP @ 480V, 60HP @ 600V, installed with 120VAC coil and 1NO/1NC aux contact, AC contactor
A75	A75-30-11, Nofuel, direct replacement contactors for ABB A75-30-11, A-Line series, 3 pole, 3 phase, 80Amp, 600 Volt, 30HP @ 240V, 60HP @ 480V, 75HP @ 600V, installed with 120VAC coil and 1NO/1NC aux contact, AC contactor
A95	A95-30-11, Nofuel, direct replacement contactors for ABB A95-30-11, A-Line series, 3 pole, 3 phase, 95Amp, 600 Volt, 30HP @ 240V, 60HP @ 480V, 75HP @ 600V, installed with 120VAC coil and 1NO/1NC aux contact, AC contactor

A110	A110-30-11, Nofuel, direct replacement contactors for ABB A110-30-11, A-Line series, 3 pole, 3 phase, 110A mp, 600 Volt, 40HP @ 240V, 75HP @ 480V, 100HP @ 600V, installed with 120VAC coil and 1NO/1NC aux contact, AC contactor
A145	A145-30-11, Nofuel, direct replacement contactors for ABB A145-30-11, A-Line series, 3 pole, 3 phase, 130A mp, 600 Volt, 50HP @ 240V, 100HP @ 480V, 125HP @ 600V, installed with 120VAC coil and 1NO/1NC aux contact, AC contactor
A185	A185-30-11, Nofuel, direct replacement contactors for ABB A185-30-11, A-Line series, 3 pole, 3 phase, 156A mp, 600 Volt, 60HP @ 240V, 125HP @ 480V, 150HP @ 600V, installed with 120VAC coil and 1NO/1NC aux contact, AC contactor
A210	A210-30-11, Nofuel, direct replacement contactors for ABB A210-30-11, A-Line series, 3 pole, 3 phase, 192A mp, 600 Volt, 75HP @ 240V, 150HP @ 480V, 200HP @ 600V, installed with 120VAC coil and 1NO/1NC aux contact, AC contactor
A260	A260-30-11, Nofuel, direct replacement contactors for ABB A260-30-11, A-Line series, 3 pole, 3 phase, 248A mp, 600 Volt, 100HP

	@ 240V, 200HP @ 480V, 250HP @ 600V, installed with 120VAC coil and 1NO/1NC aux contact, AC contactor	
A300	A300-30-11, Nofuel, direct replacement contactors for ABB A300-30-11, A-Line series, 3 pole, 3 phase, 302Amp, 600 Volt, 100HP @ 240V, 250HP @ 480V, 300HP @ 600V, installed with 120VAC coil and 1NO/1NC aux contact, AC contactor	

Product link : <https://www.nofuelpower.com/?p=58722>